



Color available -A

Black White

B

Black White Piano black

Custom baffle colour

Gold Chrome Rosegold (MOQ is required for custom colours)

KANO-II

Material: Aluminum extrusion housing & trim with powder coating finish, plastic baffle with plating or liquid coating finish.

KANO is designed to improve the concept of downlight, with high power LED and baffle design, providing comfort, circular and anti glare distribution.



The overall appearance is with the beauty of simplicity. It's able to use as primary or decorative illumination for widely applications, such as office, restaurant, department store and so on.



Article number	1814.400-1
LED Consumption	2.2W (2.2W X1pcs)
Current	700 (mA)
Lumen	200 (lm)
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+




Color available

Bezel :  
Black White

Baffle :   
Black White Piano black



Dimmable



Article number	1814.400-2
LED Consumption	4.4W (2.2W X2pcs)
Current	700 (mA)
Lumen	200 (lm) X2
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+



Color available

Bezel :  
Black White

Baffle :   
Black White Piano black



Dimmable



Article number	1814.413
LED Consumption	8.8W (2.2W X4pcs)
Current	700 (mA)
Lumen	200 (lm) X4
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+



Color available

Bezel :  
Black White

Baffle :   
Black White Piano black



Dimmable





Article number	1814.400-5
LED Consumption	11W (2.2W X5pcs)
Current	700 (mA)
Lumen	200 (lm) X5
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+




Color available

Bezel :  
Black White

Baffle :   
Black White Piano black



Dimmable



Article number	1814.400-10
LED Consumption	22W (2.2W X10pcs)
Current	700 (mA)
Lumen	200 (lm) X10
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+




Color available

Bezel :  
Black White

Baffle :   
Black White Piano black



Dimmable



Article number	1814.400-15
LED Consumption	33W (2.2W X15pcs)
Current	700 (mA)
Lumen	200 (lm) X15
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+



Color available

Bezel :  
Black White

Baffle :   
Black White Piano black



Dimmable







Article number	1814.402-5
LED Consumption	11W (2.2W X5pcs)
Current	700 (mA)
Lumen	200 (lm) X5
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+

Color available

Baffle :   
Black White Piano black



Dimmable



h(m)	D(m)	E(lx)
40°		
1.0	0.80	1543
2.0	1.60	385
3.0	2.40	171
4.0	3.20	96
5.0	4.00	61





Article number	1814.402-10
LED Consumption	22W (2.2W X10pcs)
Current	700 (mA)
Lumen	200 (lm) X10
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+

Color available

Baffle :   
Black White Piano black



Dimmable



h(m)	D(m)	E(lx)
40°		
1.0	0.84	3073
2.0	1.69	768
3.0	2.54	341
4.0	3.39	192
5.0	4.24	122





Article number	1814.402-15
LED Consumption	33W (2.2W X15pcs)
Current	700 (mA)
Lumen	200 (lm) X15
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+

Color available

Baffle :   
Black White Piano black



Dimmable



h(m)	D(m)	E(lx)
40°		
1.0	0.84	3073
2.0	1.69	768
3.0	2.54	341
4.0	3.39	192
5.0	4.24	122



Article number	1814.401-5
LED Consumption	11W (2.2W X5pcs)
Current	700 (mA)
Lumen	200 (lm) X5
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+




Color available

Bezel :  
Black White

Baffle :   
Black White Piano black



Dimmable



Article number	1814.401-10
LED Consumption	22W (2.2W X10pcs)
Current	700 (mA)
Lumen	200 (lm) X10
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+




Color available

Bezel :  
Black White

Baffle :   
Black White Piano black



Dimmable



Article number	1814.401-15
LED Consumption	33W (2.2W X15pcs)
Current	700 (mA)
Lumen	200 (lm) X15
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+



Color available

Bezel :  
Black White

Baffle :   
Black White Piano black



Dimmable





Article number	1914.403-5
LED Consumption	11W (2.2W X5pcs)
Current	700 (mA)
Lumen	200 (lm) X5
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+




Color available

Bezel :  
Black White

Baffle :   
Black White Piano black



Dimmable



Article number	1914.403-10
LED Consumption	22W (2.2W X10pcs)
Current	700 (mA)
Lumen	200 (lm) X10
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+




Color available

Bezel :  
Black White

Baffle :   
Black White Piano black



Dimmable



Article number	1914.403-15
LED Consumption	33W (2.2W X15pcs)
Current	700 (mA)
Lumen	200 (lm) X15
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+



Color available

Bezel :  
Black White

Baffle :   
Black White Piano black



Dimmable





Article number 1814.415-5




LED Consumption	11W
Current	700 (mA)
System Lumen	462(lm)
Beam Angle	Wallwash
CCT	3000K
CRI	90+

Color available

Bezel :	☒	☐
	Black	White
Baffle :	☒	☐
	Black	White



Dimmable



h (m)	D (m)	E (lx)
Wallwash		
1.0	1.35	251
2.0	2.71	62
3.0	4.07	27
4.0	5.43	15
5.0	6.79	10



Article number 1814.415-10



LED Consumption	11Wx2
Current	700 (mA)
System Lumen	462x2(lm)
Beam Angle	Wallwash
CCT	3000K
CRI	90+

Color available

Bezel :	☒	☐
	Black	White
Baffle :	☒	☐
	Black	White



Dimmable





Article number	1914.411-5
LED Consumption	11W
Current	700 (mA)
System Lumen	462(lm)
Beam Angle	Wallwash
CCT	3000K
CRI	90+




Color available

Bezel :  
Black White

Baffle :  
Black White



Dimmable



h (m)	D (m)	E (lx)
Wallwash		
1.0	1.35	251
2.0	2.71	62
3.0	4.07	27
4.0	5.43	15
5.0	6.79	10



Article number	1914.411-10
LED Consumption	11Wx2
Current	700 (mA)
System Lumen	462x2(lm)
Beam Angle	Wallwash
CCT	3000K
CRI	90+



Color available

Bezel :  
Black White

Baffle :  
Black White



Dimmable





Article number	1819.235-10
LED Consumption	22W (2.2W X10pcs)
Current	700 (mA)
Lumen	200 (lm) X10
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+

Color available

Body :  
Black White

Baffle :   
Black White Piano black



h (m)	D (m)	E (lx)
40°		
1.0	0.84	3073
2.0	1.69	768
3.0	2.54	341
4.0	3.39	192
5.0	4.24	122



Article number	1814.301-10
LED Consumption	22W (2.2W X10pcs)
Current	700 (mA)
Lumen	200 (lm) X10
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+



Color available

Body :  
 Black White

Baffle :   
 Black White Piano black



Dimmable



Article number	1816.107
LED Consumption	22W (2.2W X10pcs)
Current	700 (mA)
Lumen	200 (lm) X10
Beam Angle	15°/30°/40°
CCT	3000K
CRI	90+

Driver Built-in


Color available

Body :  
 Black White

Baffle :   
 Black White Piano black



Dimmable



Article number	1916.101
LED Consumption	23.4W
Current	650 (mA)
System Lumen	1035 (lm)
Beam Angle	120°
CCT	3000K
CRI	90+

Driver Built-in

Colours  
 Black White



Dimmable

