



Color available - A / B / C / D / E



TEYVAT

Material: Alu. die casting heatink with powder coating finish, Alu. extrusion housing with powder coating finish, Plastic trim.

Brand new thin light engine design, high performance optic providing 10/20/30 beam angle, focus on the merchandise on the shelves, louver accessories are available for different lighting needs.

The mechanism can be made into track spot, pendant, surface mounted, etc., for different applications.

Applications: residential, shopping mall, shop, supermarket, restaurant & bar, museum, art gallery, showroom, office, exhibition center.



Accessory



honeycomb louver



striped glass



Snout

Light style

Track

Pendant

Surface mounted






Article number	1819.201
LED Consumption	25.5W
Current	700 (mA)
Lumen	2670 (lm)
Beam Angle	10°/20°/30°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable




Article number	1819.201-H
LED Consumption	25.5W
Current	700 (mA)
Lumen	2670 (lm)
Beam Angle	10°/20°/30°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable



Accessories



striped glass



honeycomb louver



Snoot




Article number	1813.100
LED Consumption	25.5W
Current	700 (mA)
Lumen	2670 (lm)
Beam Angle	10°/20°/30°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable




Article number	1816.100
LED Consumption	25.5W
Current	700 (mA)
Lumen	2670 (lm)
Beam Angle	10°/20°/30°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable



Accessories



striped glass



honeycomb louvre



Snout