

FARFALLA SERIES (EU)



FARFALLA_(EU)

With the high-performance optical elements and elegant round downlight, the FARFALLA series is impressive for its simplicity and flexibility. Supply by changeable collars; FARFALLA elements in various colors can create an excellent atmosphere.

The FARFALLA series not only provides a comfortable illumination experience but also a stylish decoration for the interior. The space transforms with either subtle or dramatic contrasts.

Shape



Round
85

Mountings



Recessed
Trim



Recessed
Trimless

Light distributions



Downlight



ACOT-35
6° Ultra narrow beam
10W Heatsink



ACOT-36
14W Heatsink



ACOT-35-WCW
Tunable White
9W Heatsink



ACOT-35-DW
Dim to warm
12W Heatsink



ACOT-37
18W Heatsink



5ZZB
GU10
IP20



5ZZA
MR16
IP20

Exchangeable light engine
CRI 90
2700 or 3000 or 4000 Kelvin

Lens

For ACOT-36 or ACOT-37
ACOT-76-15R
ACOT-76-24R
ACOT-76-36R
ACOT-76-50R

For ACOT-35-WCW or ACOT35-DW
ACOE-1 (13R)
ACOE-3 (31R)

Accessories

SG7-1 Striped glass
WG7-1 Woven glass
DS7-1 Diffusion sheet
H7-1 Honeycomb louver



Trim

FA85-TRF
Aluminum die cast

Collar

ACOT-34
Aluminum

FARFALLA (EU)



RECESSED/ SURFACE All In One

With the ingenious mechanics, FARFALLA achieves to ensure the display effect is highlighted can produce a smooth and mild atmosphere from top to bottom. FARFALLA could adjust the application depend on different environment, it could be surface downlight if you add the collar and recessed without collar, customized color of collar is also available, high efficiency low glare and a comfortable visual experience can be precisely created.



FARFALLA round
fixed



Specification

3000 K
CRI ≥ 90
DALI, TRIAC, 1-10V

Types



Colours

Colours :  
Black White

Custom collar colours:
  
Chrome Gold Metallic gray
(MOQ is required for custom colours)

Beam Angle




15°/24°/36°/50° (Lens)



Recessed trimless



FARFALLA-85-RTL1





Article number	2218.207F-ACOT-36
LED Consumption	14W
Current	350 (mA)
Delivered Lumen	1019 (lm)
Beam Angle	15°/24°/36°/50° (Lens)
CCT	3000K
CRI	90+

Colours :  
Black White



Dimmable



FARFALLA-85-RTF1






Article number	2218.207-ACOT-36
LED Consumption	14W
Current	350 (mA)
Delivered Lumen	1019 (lm)
Beam Angle	15°/24°/36°/50° (Lens)
CCT	3000K
CRI	90+

Colours :  
Black White



Dimmable



FARFALLA-85-RTF






Article number	2218.115-ACOT-36
LED Consumption	14W
Current	350 (mA)
Delivered Lumen	1019 (lm)
Beam Angle	15°/24°/36°/50° (Lens)
CCT	3000K
CRI	90+

Colours :  
Black White



Dimmable



Accessories

SG7-1
Striped glassH7-1
Honeycomb louverDS7-1
Diffusion sheetWG7-1
Woven glassACOT-82
MR16 Accessory kitsACOT-83
GU10 Accessory kitsPJ-0079
MR16&GU10
AccessoryACOT-34
Collar

