




BROWNIE 60-C3



Product specification

SYSTEM LIGHTS



Technical Specification

Article number	2117.422-V-AM
----------------	---------------

LED Consumption	10W
-----------------	-----

Fixture Consumption	
---------------------	--

Current / Voltage	350mA /18Vdc
-------------------	--------------

CRI	90+
-----	-----

CCT	3000K
-----	-------

LED Lumen *1	557lm
--------------	-------

Delivered Lumen	
-----------------	--

Beam Angle available	20°/25°/35°
----------------------	-------------

Driver Technical Specification (Remoted)

Driver Brand	EUCHIPS	Driver Model	PUP10A-1WMC
--------------	---------	--------------	-------------

Input voltage / Freqency range	120-277Vac / 50/60Hz	Output Current / Voltage	350mA / 9-28Vdc
--------------------------------	----------------------	--------------------------	-----------------

Dimming / Flicker	0/1~10V/Free	Certification	UL/CE
-------------------	--------------	---------------	-------

Power Factor	>0.9	Warranty	5years
--------------	------	----------	--------

Technical character

Materials

Products Standard	UL 1598	Luminaire	extruded aluminum
-------------------	---------	-----------	-------------------

CSA C22.2#250.0	Trim	-
-----------------	------	---

Insulation	CLASS II	Optics	PC
------------	----------	--------	----

Protection	IP20	Heat sink	extruded aluminum
------------	------	-----------	-------------------

Tilt / Rotate		Fixture color available	white / black
---------------	--	-------------------------	---------------

Operating temperature	0~35°C	Baffle	
-----------------------	--------	--------	--

Average Failure Time	L70(6k) >36000 (h)	Baffle Color available	white / black / copper
----------------------	--------------------	------------------------	------------------------

Accessories

Photometric

Remarks



*1. LUMEN : for LED chip test result based on Tc=85°C. This is the ideal (Maximum) lumen. This lumen information is from the LED supplier.