




BROWNIE 40-C6



Product specification

SYSTEM LIGHTS



Technical Specification

Article number 2117.459-V-AM

LED Consumption 23W

Fixture Consumption

Current / Voltage 550mA /36Vdc

CRI 90+

CCT 3000K

LED Lumen ^{*1} 1666lm

Delivered Lumen

Beam Angle available 20°/30°/40°

Driver Technical Specification (Remoted)

Driver Brand EUCHIPS Driver Model PUP20A-1WMC

Input voltage / Freqency range 120-277Vac / 50/60Hz Output Current / Voltage 500mA / 9-40Vdc

Dimming / Flicker 0/1~10V/Free Certification UL/CE

Power Factor >0.9 Warranty 5years

Technical character

Materials

Products Standard	UL 1598	Luminaire	extruded aluminum
	CSA C22.2#250.0	Trim	-

Insulation	CLASS II	Optics	PC
------------	----------	--------	----

Protection	IP20	Heat sink	extruded aluminum
------------	------	-----------	-------------------

Tilt / Rotate		Fixture color available	white / black
---------------	--	-------------------------	---------------

Operating temperature	0~35°C	Baffle	
-----------------------	--------	--------	--

Average Failure Time	L70(6k) >36000 (h)	Baffle Color available	white / black / copper
----------------------	--------------------	------------------------	------------------------

Accessories

Photometric

Remarks



*1. LUMEN : for LED chip test result based on Tc=85°C. This is the ideal (Maximum) lumen. This lumen information is from the LED supplier.