

SCOOP

Excellent flexibility makes it easily recessed in the ceiling, tilt up to 70 degree and rotate up to 355 degree.






Article number	1118.104
LED Consumption	51.8W
Current	1400 (mA)
Lumen	5163 (lm)
Beam Angle	25°/45°/55°
CCT	3000K
CRI	90+

Colours   
Black White Grey



Dimmable




Article number	1118.191
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	20°/40°/60°
CCT	3000K
CRI	90+

Colours   
Black White Grey



Dimmable






Article number 1518.134

LED Consumption	37.3W
Current	1050 (mA)
Lumen	4550 (lm)
Beam Angle	12°/24°/40°
CCT	3000K
CRI	80+

Colours  
Black White



Dimmable




Article number 1518.133

LED Consumption	17.8W
Current	500 (mA)
Lumen	1911 (lm)
Beam Angle	12°/24°/40°
CCT	3000K
CRI	90+

Colours  
Black White




Dimmable





Article number 1218.147

LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	20°/40°/60°
CCT	3000K
CRI	90+

Colours  
Black White




Dimmable








Article number	1018.133
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	20°/40°
CCT	3000K
CRI	90+

Colours ☐ White



Dimmable



Article number	1018.131
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	40°
CCT	3000K
CRI	90+

Colours ☐ White



Dimmable

