




BRANKO A-85P-RTF

Product specification



INTERIOR RECESSED DOWNLIGHTS



75

Technical Specification

Article number	2318.112-ACOT-70		
LED Consumption	12W		
Fixture Consumption	-		
Current / Voltage	350mA / 33.8Vdc		
CRI	90+		
CCT	2700K	3000K	4000K
LED Lumen ^{*1}	1389lm	1446lm	1469lm
Delivered Lumen	-	-	-
Beam Angle available	15°/24°/36°/50° (Lens)		

Driver Technical Specification (Remoted)

Driver Brand	-	Driver Model	-
Input voltage / Frequency range	-	Output Current / Voltage	-
Dimming / Flicker	-	Certification	-
Power Factor	-	Warranty	-


Technical character

Materials

Products Standard	IEC 60598-1	Luminaire	Aluminum die cast
	IEC 62031	Trim	Aluminum die cast
Insulation	CLASS II	Optics	PMMA Lens
Protection	IP44	Heat sink	Forged aluminum
Tilt / Rotate	none / none	Fixture color available	white / black
Operating temperature	0~35°C		
Average Failure Time	L70(9k)>50000(h)		

Accessories

Photometric

ACHO-5
Honeycomb louverACOT-108
Suction cup

Remarks



*1. LUMEN : for LED chip test result based on Tc=85°C. This is the ideal (Maximum) lumen. This lumen information is from the LED supplier.