

AGILE

AGILE series are designed for retail ,showroom, shop store , art galleries , museums, and also in commercial application.

AGILE wall washer is designed for 30 degree tilt and 355 degree of swivel angles which are very good for interior decoration and retrofit of display.



Color available - A

Black White

B

Black White Chrome



Down Light Collection

In this series, agile wall washer model which offers 30 degree of tilt angle, and 355 degree of swivel angles. Because of the 30 degree of tilt angle, light fixture installers could easily adjust the angles according to the personal demand.




Besides, the different filter glass design allow to show different light shapes according to the corresponding demands.




Tilt




Rotate



Glass



Wave Glass



Stripe Glass





Article number	1018.105
LED Consumption	51.8W
Current	1400 (mA)
Lumen	5163 (lm)
Beam Angle	20°/40°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



1018.105.0BQV(51.3W)




Article number	1618.195
LED Consumption	38.9W
Current	1050 (mA)
Lumen	3888 (lm)
Beam Angle	20°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable






Article number	1018.101
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	20°/40°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



1018.101.0BQS(25.7W)




Article number	1518.203
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	20°/40°
CCT	3000K
CRI	90+

Colours 
Silver




Dimmable






Article number	1018.103
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	40°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



1018.103.0BQR(12.9W)




Article number	1518.202
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	20°/40°
CCT	3000K
CRI	90+

Colours 
Silver



Dimmable







Article number	1018.171
LED Consumption	51.8W
Current	1400 (mA)
Lumen	5163 (lm)
Beam Angle	20°/40°/60°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



1018.171.0BQV(51.3W)




Article number	1618.196
LED Consumption	38.9W
Current	1050 (mA)
Lumen	3888 (lm)
Beam Angle	20°/40°/60°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable






Article number	1018.125
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable




Article number	1218.153
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	20°/40°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



1218.153.0BQR(12.9W)






Article number	1018.173
LED Consumption	51.8W
Current	1400 (mA)
Lumen	5163 (lm)
Beam Angle	35°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



1018.173.0BQJ(39.3W)




Article number	1618.197
LED Consumption	38.9W
Current	1050 (mA)
Lumen	3888 (lm)
Beam Angle	35°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable






Article number	1418.139
LED Consumption	62W
Current	1750 (mA)
Lumen	7553 (lm)
Beam Angle	35°
CCT	3000K
CRI	80+

Colours  
Black White



Dimmable




Article number	1018.127
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	20°/40°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



1018.127.0BQS(25.7W)






Article number	1018.123
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	40°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



1018.123.0BQR(12.9W)




Article number	1318.130
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	40°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



1318.130.0BQS(25.7W)






Article number	1418.140
LED Consumption	62W
Current	1750 (mA)
Lumen	7553 (lm)
Beam Angle	35°
CCT	3000K
CRI	80+

Colours  
Black White



Dimmable




Article number	1118.118
LED Consumption	51.3W
Current	1400 (mA)
Lumen	5163 (lm)
Beam Angle	40°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



1118.118.0BQV(51.3W)




Article number	1618.198
LED Consumption	38.9W
Current	1050 (mA)
Lumen	3888 (lm)
Beam Angle	40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable






Article number	1018.107
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	20°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable




Article number	1118.119
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable






Article number	1018.128
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable




Article number	1018.108
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	40°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



1018.108.0BQR(12.9W)




Article number	1018.110
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	40°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



1018.110.0BQR(12.9W)






Article number	1018.116
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	40°
CCT	3000K
CRI	90+


Colours  Silver



Dimmable



1018.116.0BQR(12.9W)




Article number	1218.148
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	20°/40°
CCT	3000K
CRI	90+


Colours   Black White



Dimmable



1218.148.0BQR(12.9W)






Article number	1118.161
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	20°/60°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



1118.161.0BQS(25.7W)




Article number	1318.123
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	20°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable







Article number	1318.125
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	20°/35°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



1318.125.0BQR(12.9W)





Article number	1318.126
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	20°/35°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



1318.126.0BQR(12.9W)







Article number	1318.304
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	20°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



1318.304.0BQR(12.9W)




Article number	1318.305
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	20°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



1318.305.0BQR(12.9W)







Article number 1318.115

LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	20°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable





Article number 1318.147

LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	20°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable



1318.147.0BQR(12.9W)

