



HADES

Multiple function design with different wattages and light engines to choose. With glare-free, high performance to fulfill the applications required by designers, a good alternatives for retrofit use and for all new design. The mix up of different types of fitting allow the designers to create and achieve what they want.

Hades series can be sold in complete set or separate parts for different types of clients. It is suitable for both commercial and residential applications.



Reflector+Clear Glass(Norm)

Module Options-TB,TLB (Max 42W)

Module Options-TS,TLS (Max 15W)



multi-trims
HADES-II



low glare
HADES-BF



low glare
HADES-SF



Accessories



reflector+
honeycomb
louver

H9-1

reflector+
snoot

S9-1

reflector+
striped glass

SG9-1

Light Engine



deep glare
20°/40°

BS

high efficiency
20°

BH

Light Engine



deep glare
20°/40°

SS

high efficiency
20°/40°


SH

focus
20°/40°

SH-E

honeycomb
louver
20°/40°

SH-H





Article number	1514.424-1
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	12°/24°/40°
CCT	3000K
CRI	90+

Colours  
Black White




Dimmable



Accessories




S9-1 reflector+snout
H9-1 reflector+
honeycomb louver
SG9-1 reflector+
striped glass





Article number	1514.432-1
LED Consumption	39.8W
Current	1050 (mA)
Lumen	3888 (lm)
Beam Angle	12°/24°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable



Accessories



S9-1 reflector+snout
H9-1 reflector+
honeycomb louver
SG9-1 reflector+
striped glass





Article number	1514.424-2
LED Consumption	25.9W X2
Current	700 (mA)
Lumen	2559 (lm) X2
Beam Angle	12°/24°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable




Accessories





Article number	1514.432-2
LED Consumption	39.8W X2
Current	1050 (mA)
Lumen	3888 (lm) X2
Beam Angle	12°/24°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable



Accessories







Article number	1514.424-3
LED Consumption	25.9W X3
Current	700 (mA)
Lumen	2559 (lm) X3
Beam Angle	12°/24°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable



Accessories



S9-1
reflector+snoot

H9-1
reflector+
honeycomb louver

SG9-1
reflector+
striped glass





Article number	1514.432-3
LED Consumption	39.8W X3
Current	1050 (mA)
Lumen	3888 (lm) X3
Beam Angle	12°/24°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable



Accessories



S9-1
reflector+snoot

H9-1
reflector+
honeycomb louver

SG9-1
reflector+
striped glass





Article number	1514.427-1
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	12°/24°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable



Accessories



S9-1
reflector+snoot

H9-1
reflector+
honeycomb louver

SG9-1
reflector+
striped glass





Article number	1514.433-1
LED Consumption	39.8W
Current	1050 (mA)
Lumen	3888 (lm)
Beam Angle	12°/24°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable



Accessories



S9-1
reflector+snoot

H9-1
reflector+
honeycomb louver

SG9-1
reflector+
striped glass





Article number	1514.427-2
LED Consumption	25.9W X2
Current	700 (mA)
Lumen	2559 (lm) X2
Beam Angle	12°/24°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable



Accessories



S9-1
reflector+snoot


H9-1
reflector+
honeycomb louvre

SG9-1
reflector+
striped glass





Article number	1514.433-2
LED Consumption	39.8W X2
Current	1050 (mA)
Lumen	3888 (lm) X2
Beam Angle	12°/24°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable



Accessories



S9-1
reflector+snoot

H9-1
reflector+
honeycomb louvre

SG9-1
reflector+
striped glass





Article number	1514.427-3
LED Consumption	25.9W X3
Current	700 (mA)
Lumen	2559 (lm) X3
Beam Angle	12°/24°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable



Accessories



S9-1
reflector+snoot


H9-1
reflector+
honeycomb louver

SG9-1
reflector+
striped glass





Article number	1514.433-3
LED Consumption	39.8W X3
Current	1050 (mA)
Lumen	3888 (lm) X3
Beam Angle	12°/24°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable



Accessories



S9-1
reflector+snoot

H9-1
reflector+
honeycomb louver

SG9-1
reflector+
striped glass





Article number	1414.418-1
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	15°/40°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



□188




Article number	1414.438-1
LED Consumption	39.8W
Current	1050 (mA)
Lumen	3888 (lm)
Beam Angle	15°/40°
CCT	3000K
CRI	90+


Colours  
Black White



Dimmable



□188







Article number	1414.418-2
LED Consumption	25.9W X2
Current	700 (mA)
Lumen	2559 (lm) X2
Beam Angle	15°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable





Article number	1414.438-2
LED Consumption	39.8W X2
Current	1050 (mA)
Lumen	3888 (lm) X2
Beam Angle	15°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable







Article number	1414.418-3
LED Consumption	25.9W X3
Current	700 (mA)
Lumen	2559 (lm) X3
Beam Angle	15°/40°
CCT	3000K
CRI	90+

Colours  
Black White




Dimmable





Article number	1414.438-3
LED Consumption	39.8W X3
Current	1050 (mA)
Lumen	3888 (lm) X3
Beam Angle	15°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable







Article number	1414.419-1
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	15°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable





Article number	1414.453-1
LED Consumption	39.8W
Current	1050 (mA)
Lumen	3888 (lm)
Beam Angle	15°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable







Article number	1414.419-2
LED Consumption	25.9W X2
Current	700 (mA)
Lumen	2559 (lm) X2
Beam Angle	15°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable





Article number	1414.453-2
LED Consumption	39.8W X2
Current	1050 (mA)
Lumen	3888 (lm) X2
Beam Angle	15°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable







Article number	1414.419-3
LED Consumption	25.9W X3
Current	700 (mA)
Lumen	2559 (lm) X3
Beam Angle	15°/40°
CCT	3000K
CRI	90+

Colours  
Black White




Dimmable





Article number	1414.453-3
LED Consumption	39.8W X3
Current	1050 (mA)
Lumen	3888 (lm) X3
Beam Angle	15°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable







Article number	1414.432-1
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	20°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable





Article number	1414.432-2
LED Consumption	13W X2
Current	350 (mA)
Lumen	1329 (lm) X2
Beam Angle	20°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable





Article number	1414.432-3
LED Consumption	13W X3
Current	350 (mA)
Lumen	1329 (lm) X3
Beam Angle	20°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable







Article number	1414.433-1
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	20°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable





Article number	1414.433-2
LED Consumption	13W X2
Current	350 (mA)
Lumen	1329 (lm) X2
Beam Angle	20°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable





Article number	1414.433-3
LED Consumption	13W X3
Current	350 (mA)
Lumen	1329 (lm) X3
Beam Angle	20°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable






Article number	1418.130
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	15°/40°
CCT	3000K
CRI	90+
Article number	1418.150
LED Consumption	39.8W
Current	1050 (mA)
Lumen	3888 (lm)
Beam Angle	15°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable




Article number	1518.139
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	12°/24°/40°
CCT	3000K
CRI	90+
Article number	1518.140
LED Consumption	39.8W
Current	1050 (mA)
Lumen	3888 (lm)
Beam Angle	12°/24°/40°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable



Accessories



S9-1
reflector+snout



H9-1
reflector+
honeycomb louver




SG9-1
reflector+
striped glass



Article number	1418.107
LED Consumption	13W
Current	350 (mA)
Lumen	1329 (lm)
Beam Angle	20°/40°
CCT	3000K
CRI	90+

Colours   
Black White Grey



Dimmable

