



SCOOP

Excellent flexibility makes it easily recessed in the ceiling, tilt up to 70 degree and rotate up to 355 degree.







Article number 1118.104

LED Consumption	51W
Current	1400 (mA)
Lumen	5393 (lm)
Beam Angle	20°/40°/65°
CCT	3000K
CRI	90+

Colours   
Black White Grey



Dimmable




h (m)	D (m)	E (lx)
40°		
1.0	0.71	4314
2.0	1.42	1079
3.0	2.13	479
4.0	2.84	269
5.0	3.55	172





Article number 1118.191

LED Consumption	25.5W
Current	700 (mA)
Lumen	2670 (lm)
Beam Angle	20°/40°/60°
CCT	3000K
CRI	90+

Colours   
Black White Grey



Dimmable



h (m)	D (m)	E (lx)
60°		
1.0	1.21	2086
2.0	2.42	521
3.0	3.64	231
4.0	4.85	130
5.0	6.07	83





Article number 1518.134

LED Consumption	37W
Current	1050 (mA)
Lumen	4907 (lm)
Beam Angle	12°/24°/35°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable





Article number 1518.133

LED Consumption	17.5W
Current	500 (mA)
Lumen	1994 (lm)
Beam Angle	12°/24°/35°
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable






Article number 1218.147

LED Consumption	12.8W
Current	350 (mA)
Lumen	1387 (lm)
Beam Angle	20°/35°/60°
CCT	3000K
CRI	90+

Colours  
Black White




Dimmable







Article number	1018.133
LED Consumption	25.5W
Current	700 (mA)
Lumen	2670 (lm)
Beam Angle	20°/40°
CCT	3000K
CRI	90+

Colours ☐ White




Dimmable



Article number	1018.131
LED Consumption	12.8W
Current	350 (mA)
Lumen	1387 (lm)
Beam Angle	20°/30°
CCT	3000K
CRI	90+

Colours ☐ White



Dimmable

