

FANTASIA 1/2/3 SERIES (AM)



FANTASIA 1/2/3 (AM)

New designed heatsink allowing the fixture to tilt up to 45 degrees.
With 3 different wide & flood beam angles, Fantasia provides even distribution to the area.

Shape



1 lamp
80

1 lamp
100

2 lamp
100

3 lamp
100

Mountings





Recessed
Trim

Recessed
Trimless

Light distributions



Adjustable



Color available - A / B



New designed heatsink allowing the fixture to tilt up to 45 degrees.

With 3 different wide & flood beam angles, Fantasia provides even distribution to the area.






INSTALLATION OPTIONS




ACCG-22A- _____
Type: Gear box



Internal space dimension:
L 8.23" (209mm)X W 1.89" (48mm)X H 1.3" (33mm)



ACCG-23- _____
Type: NON-IC Housing




Cutout		ACCG-23-_____
FANTASIA-R	Ø2.76" (70mm)	ACCG-23-R70
FANTASIA-1T	□3.39" (86mm)	ACCG-23-S86
FANTASIA-2T	3.39" x 6.89" (86x175mm)	ACCG-23-86x175
FANTASIA-3T	3.39" x 10.35" (86x262mm)	ACCG-23-86x262





Article number	2018.121-AM
LED Consumption	8.3W
Current	250 (mA)
Lumen	1087 (lm)
Beam Angle	40°/50°/65°/80° (Reflector)
CCT	3000K
CRI	90+

Colours  
Black White



Dimmable

TRIAC	1-10V
-------	-------







h (m)	D (m)	E (lx)
65°		
1.0	1.26	746
2.0	2.52	186
3.0	3.79	82
4.0	5.05	46
5.0	6.32	29

FANTASIA-1-STA



Article number	2014.431-1-AM
LED Consumption	9W
Current	250 (mA)
Lumen	1087 (lm)
Beam Angle	40°/50°/65°/80° (Reflector)
CCT	3000K
CRI	90+

Colours  
Black White

**Dimmable**





h(m)	D(m)	E(lx)
	65°	
1.0	1.26	746
2.0	2.52	186
3.0	3.79	82
4.0	5.05	46
5.0	6.32	29

FANTASIA-2-STA



Article number	2014.431-2-AM
LED Consumption	9WX2
Current	250 (mA)
Lumen	1087 (lm)X2
Beam Angle	40°/50°/65°/80° (Reflector)
CCT	3000K
CRI	90+

Colours  
Black White

**Dimmable**




h(m)	D(m)	E(lx)
	65°	
1.0	1.26	746
2.0	2.52	186
3.0	3.79	82
4.0	5.05	46
5.0	6.32	29

FANTASIA-3-STA




Article number	2014.431-3-AM
LED Consumption	9WX3
Current	250 (mA)
Lumen	1087 (lm)X3
Beam Angle	40°/50°/65°/80° (Reflector)
CCT	3000K
CRI	90+

Colours  
Black White

**Dimmable**


h(m)	D(m)	E(lx)
	65°	
1.0	1.26	746
2.0	2.52	186
3.0	3.79	82
4.0	5.05	46
5.0	6.32	29

FANTASIA-1-STLA





Article number	2014.516-1-AM
LED Consumption	9W
Current	250 (mA)
Lumen	1087 (lm)
Beam Angle	40°/50°/65°/80° (Reflector)
CCT	3000K
CRI	90+

Colours  
Black White

**Dimmable**

TRIAC	1-10V
-------	-------




h(m)	D(m)	E(lx)
	65°	
1.0	1.26	746
2.0	2.52	186
3.0	3.79	82
4.0	5.05	46
5.0	6.32	29

FANTASIA-2-STLA






Article number	2014.516-2-AM
LED Consumption	9WX2
Current	250 (mA)
Lumen	1087 (lm)X2
Beam Angle	40°/50°/65°/80° (Reflector)
CCT	3000K
CRI	90+

Colours  
Black White

**Dimmable**

TRIAC	1-10V
-------	-------




h(m)	D(m)	E(lx)
	65°	
1.0	1.26	746
2.0	2.52	186
3.0	3.79	82
4.0	5.05	46
5.0	6.32	29

FANTASIA-3-STLA






Article number	2014.516-3-AM
LED Consumption	9WX3
Current	250 (mA)
Lumen	1087 (lm)X3
Beam Angle	40°/50°/65°/80° (Reflector)
CCT	3000K
CRI	90+

Colours  
Black White

**Dimmable**

TRIAC	1-10V
-------	-------



h(m)	D(m)	E(lx)
	65°	
1.0	1.26	746
2.0	2.52	186
3.0	3.79	82
4.0	5.05	46
5.0	6.32	29