

# LIBRA SERIES (EU)




# LIBRA (EU)

The LIBRA series combines sleek design with IP44/IP65 protection ratings, making it ideal for bathrooms, shower rooms, outdoor corridors, and balconies where moisture or semi-outdoor conditions are present. It offers multiple beam angle options, including narrow, medium, and wide angles, to meet different lighting needs, whether for focused illumination or evenly distributed lighting. Additionally, the three BAFFLE color choices of black, white, and gold allow for flexible integration with various interior styles, enhancing spatial depth and aesthetics. LIBRA series lighting not only brightens your space but also serves as the perfect finishing touch to your design!







## IP Bezel


The LIBRA series has both IP44 rated and IP65 rated design. This fixture can use in both dry and wet location, such as bathrooms, kitchens, hair salons, outdoor corridors, and balconies.

## Baffle

The quick dismantled baffle design for IP44 of the LIBRA series shows its flexibility and convenience. In other words, it's tool-free. Due to the humanized design, users only need to twist down the trim to replace the reflector and baffle and create their unique style.



Reflector



Baffle color available



Gold



White



Black



IP44 Bezel color available



White  
Black



IP65 Bezel color available

White  
Black







LIBRA Round-Fixed


LIBRA-10W  
LIBRA-10W-IP



Colours

Bezel : Black ☒ White ☐  
Baffle : Black ☒ White ☐ Gold ☐

Article number	LED Consumption	Current	LED Lumen	Delivered Lumen	Beam Angle	CCT	CRI
 1518.117	9W	250 mA	1036 lm	-	20°/25°/40°/55° (Lens)	3000K	90+
							<div>IP44</div> <div>UGR &lt;19</div>
 1518.118	9W	250 mA	1036 lm	-	20°/25°/40°/55° (Lens)	3000K	90+
							<div>IP65</div> <div>UGR &lt;19</div>



Dimmable







LIBRA Round-Fixed



LIBRA-20W  
LIBRA-20W-IP



Colours

Bezel : Black ☒ White ☐  
Baffle : Black ☒ White ☐ Gold ☐

Article number	LED Consumption	Current	LED Lumen	Delivered Lumen	Beam Angle	CCT	CRI
 1518.119	18W	500 mA	1994 lm	-	15°/25°/40° (Lens)	3000K	90+
							<div>IP44</div> <div>UGR &lt;19</div>
 1518.120	18W	500 mA	1994 lm	-	15°/25°/40° (Lens)	3000K	90+
							<div>IP65</div> <div>UGR &lt;19</div>



 Cut out : 82mm (Trim)

Dimmable

