

TAURUS SERIES (EU)



TAURUS the hat trick lighting for the boutique

- Miniature design & Exquisite outfit
- Ultimate performance with clever light shape
- Everlasting elegance for the boutiques & retails
- Light up the boutique and make it a flagship product





TAURUS (EU)

The taurus series is a meticulous cabinet lighting series crafted to offer a distinctive showcase method. It aims to captivate onlookers' attention and highlight the uniqueness of the boutiques in retail stores.

Ultimate performance with clever light shape plays a crucial role in this series. Therefore we developed this range of products specifically for shelves, cabinets, niches, and showcases. The design intends to present excellent performance quality, highlight their rich details, and attract clients' attention.

Whatever the requirements are; the taurus series provides various selections to meet the demands of different tasks. We integrate with the finest illuminate technique to make your boutiques become the eye-catching one.






TAURUS Fixed

TAURUS-12-F




Colours


Body : Brass 

Article number	LED Consumption	Current	LED Lumen	Delivered Lumen	Beam Angle	CCT	CRI
----------------	-----------------	---------	-----------	-----------------	------------	-----	-----

2468.100	1W	300 mA	84 lm	52 lm	20° (Lens)	3000K	90+
----------	----	--------	-------	-------	------------	-------	-----



Ø12mm

 Cut out : 10.5mm

TAURUS Chameleon eyes

TAURUS-20-A





Colours

Body : Brass 


Article number	LED Consumption	Current	LED Lumen	Delivered Lumen	Beam Angle	CCT	CRI
----------------	-----------------	---------	-----------	-----------------	------------	-----	-----

2468.101	1W	300 mA	84 lm	58 lm	20° (Lens)	3000K	90+
----------	----	--------	-------	-------	------------	-------	-----



Ø8.5mm



 Cut out : 18mm



The most robust spotlight

This recessed premium spotlight is designed to display the beauty of fine items from the showcase. Even though its size is small, this spotlight carries robust lighting capabilities and adds a touch of brilliance to your environment. Furthermore, its 360° rotation and 90° tilt versatility, grant you flexible control over lighting to ensure every detail of your items is highlighted.

Moreover, this fixture is available in two sizes to meet the most sophisticated requirements in limited spaces. It is an ideal light fixture for the retail, hospitality, and luxury residential sectors. Appreciating the exquisite design and outstanding performance, the TAURUS series brings elegance and sophisticated efficiency. This will provide an extraordinary display experience with a boutique and stylish design.



TAURUS-13 Spot


TAURUS-S1W




Colours

Body : Brass  Black 

Article number	LED Consumption	Current	LED Lumen	Delivered Lumen	Beam Angle	CCT	CRI
2468.105	1W	300 mA	96 lm	82 lm	25°/35°/50° (Lens)	3000K	90+



 Cut out : 5mm



Optional Accessory



S-014
Shoot

TAURUS-23 Spot


TAURUS-S3W




Colours

Body : Brass  Black 


Article number	LED Consumption	Current	LED Lumen	Delivered Lumen	Beam Angle	CCT	CRI
2468.106	3W	700 mA	210 lm	173 lm	15°/27°/32° (Lens)	3000K	90+



 Cut out : 5mm



Optional Accessory



H-003
Honeycomb louver



DS-004
Asymmetric Diffusers



DS-005
Diffusers



Professional-grade optical lens

A combination of versatility and high-quality multi-layer lenses enhances light transmission and performance.

This optic lens provides high flexibility, balanced efficiency light output, and a precise zooming adjustment.



Circle




Trapezoid



Irregular shape



Square



TAURUS Spot


TAURUS-S3WF



Colours

Body : Black

Article number	LED Consumption	Current	LED Lumen	Delivered Lumen	Beam Angle	CCT	CRI
2468.108F	3W	700 mA	193 lm	38 lm	18°~35°	3000K	90+



⌀ Cut out : 5mm


Optional Accessory



CF-006-xxx
Color filter




GOBO-004-xxx..
OEM GOBO,
please contact with our sales rep for more info









Wiring diagram









Accessory

<div><div>1</div></div>	<div>CS-TQ-37-60</div> <div>Type: Connection</div>	<div>Quick connector cord</div> <div>Length : 2.37"(6cm)</div>
--	--	--

C.C Accessory (Constant Current)

<div><div>5</div></div>	<div>CS-TOP3-37-150</div> <div>Type: TOP junction box</div>	<div>3 way series connection cord</div> <div>Length : 6"(15.24cm)</div>
<div><div>6</div></div>	<div>CS-TD-37-100</div> <div>Type: Driver connection</div>	<div>Driver connection cord</div> <div>Length : 3.94"(10cm)</div>
<div><div>7</div></div>	<div>CS-TT-37-910</div> <div>Type: Connection</div>	<div>Connection cord</div> <div>Length : 36"(91.44cm)</div>

C.V Accessory (Constant Voltage)



<div><div>2</div></div>	<div>EB-0088-300</div> <div>Type: Converter</div>	<div>I/P: 24V,</div> <div>O/P: 300mA/max.3-9V</div>	<div><div>4</div></div>	<div>CS-TOP3-38-150</div> <div>Type: TOP junction box</div>	<div>3 way parallel connection cord</div> <div>Length : 6"(15.24cm)</div>
<div><div></div></div>	<div>EB-0088-700</div> <div>Type: Converter</div>	<div>I/P: 24V,</div> <div>O/P: 700mA/max.3-9V</div>	<div><div>5</div></div>	<div>AED15-24VLSTB-IP44</div> <div>Type: Driver</div>	<div>I/P: 220-240V,</div> <div>O/P: 24VDC/max.15w</div> <div>CE/TUV/UKCA</div>
<div><div>3</div></div>	<div>CS-TT-38-910</div> <div>Type: Connection</div>	<div>Connection cord</div> <div>Length : 36"(91.44cm)</div>	<div></div>	<div>AED12-24VLSTB-UL</div> <div>Type: Driver</div>	<div>I/P: 120V,</div> <div>O/P: 24VDC/max.12w</div> <div>CE/CUL/FCC</div>




Colours

Body : Black ☒ White ☐

Article number	LED Consumption	Current	LED Lumen	Delivered Lumen	Beam Angle	CCT	CRI
2368.100	3W	700 mA	225 lm	185 lm	25°/30°/35° (Lens)	3000K	90+



 Cut out : 35mm







Colours


Body : Black ☒ White ☐

Article number	LED Consumption	Current	LED Lumen	Delivered Lumen	Beam Angle	CCT	CRI
2368.100Z	3W	700 mA	210 lm	112 lm	20°-27°	3000K	90+



Zoomable

This recessed premium display lighting fixture is your best choice for showcasing premium items. It features a compact size and elegant design, providing unique lighting effects for your premium displays. With its unique function, simply rotating the front ring allows you to effortlessly adjust the beam's illumination area to meet your various display needs.







Colours

Body : Black ☒ White ☐

Article number	LED Consumption	Current	LED Lumen	Delivered Lumen	Beam Angle	CCT	CRI
2468.107	4W	350 mA	383 lm	301 lm	15°/25°/40° (Lens)	3000K	90+



 Cut out : 55mm



